



Your inhouse Laundry Partner

# JLA T50 and 75

Compact Dryers



T50

T75

THE PROFESSIONALS CHOICE

## SPECIFICATION

Details	Units	T50	T75
Capacity	Kg(lb)	23(50)	34(75)
Height	mm	1409	1409
Width	mm	972	972
Depth - Gas/Elec	mm	997	1243
Depth (with door open)	mm	1969	2215
Net Weight Gas/Elec	kg	247.21	272.16
Drum Volume	m <sup>3</sup> /l	0.45/450	0.63/630
Door Opening Ø	mm	695	695
Control	Microprocessor	Phase 8	Phase 8
Heating	Gas/Steam/Elec		
Electrics - Gas model	Volt/ph/Amp	240/1/13	240/1/13
Electrics - Elec model	Volt/ph/Amp	415/3/32	415/3/40
Electrics - Steam model	Volt/ph/Amp	240/1/13	240/1/13
Power (Electric)	KW	16	22
No. of Water Connections	cold	1	1
Size of Water Connection	"BSP	3/4	3/4
Gas Rating	KW (Btu/hr)	26.4(90,000)	32.2 (110,000)
Connection Size	"BSP	1/2	1/2
Steam Rating	Kg/hr (lb/hr)	57.83 (127.5)	62(136)
Connection Size	"BSP Supply/Ret	3/4/3/4	3/4/3/4
Airflow	m <sup>3</sup> (ft <sup>3</sup> )/min	14.87 (525)	15.86 (560)
Exhaust	Ømm	200	200
Ventilation/Make up	m <sup>2</sup> (in <sup>2</sup> )	0.058(90)	0.07(110)

### SAFE - Sensor Activated Fire Extinguishing system

SAFE is a unique system specially designed to eliminate serious fires which start in tumble dryers. Developed exclusively for JLA, the Sensor Activated Fire Extinguishing system combats blazes which are often caused by spontaneous combustion or small loads that are over-dried.

SAFE is fast and efficient. When a fire starts in a dryer drum, two sensors detect the change in temperature and activate a sophisticated water vapour mechanism.

The vapour douses flames within seconds and the drum rotates, exposing and soaking all laundry to ensure that the fire is completely extinguished. The entire process takes just three minutes and if the fire restarts for any reason, the vapour mechanism reactivates.

A great advantage of SAFE is that the risk of major damage to dryer and property and flooding to premises is eliminated.

All specifications subject to change without notice

# JLA T50 and 75

## Compact Dryers

JLA's T50 and 75 compact dryers superbly combine efficiency, economy and safety. Microprocessor controlled with LCD display for ease of programming and less user error, the dryers are the most efficient available saving up to 30% on gas over conventional models. Auto dry cycles prevent energy wastage and cut down on ironing and finishing.

### Features

LCD display  
Microprocessor control  
  
Large lint drawer  
HSI ignition  
Large heavy duty door  
  
Slanting rib system in drum  
Cylinder  
Axial air flow system  
Reversing drum

### Benefits

Displaying individual cycles for ease of use - optimum programming, less user error.  
Simple one-touch operation with pre-programmed cycles. Tailor-made cycles can also be stored.  
'Clean Lint Filter' prompt for maximum efficiency. Self-diagnostic error codes for easy fault finding.  
Auto dry cycles prevent energy wastage and cut down on ironing and finishing.  
More efficient drying, easy to clean.  
Fast Hot Surface Ignition reduces running costs.  
Robust steel door with gasketless glass and high density, tamper-resistant seal for safety and long life.  
Easy loading of bulky items.  
Prevents loads balling up by tumbling the load from the back of the basket to the front for the best drying results.  
Stainless steel drum for durability and hygiene.  
Giving maximum drying efficiency and fast results, reducing running costs over conventional air flow dryers.  
No tangling and more even drying for larger items.

## For further information call 0800 591903

**JLA Limited** Meadowcroft Lane, Ripponden, West Yorkshire HX6 4AJ

**T** 01422 822282 **F** 01422 824390 **email** info@jla.com

**JLA Limited** River Lodge, Lucan, County Dublin **T** 01 601 0525 **F** 01 628 1937